Question Booklet Series Code: A

Question Book Serial No: 104417

Time Allowed: 02.00 hours

PH-2020

Maximum Marks: 100

ନିର୍ଦ୍ଧାରିତ ସମୟ : 02.00 ଘଣ୍ଟା

ସର୍ବାଧିକ ମାର୍କ: 100

Read the following instructions carefully before you begin to answer the questions.

This Booklet contains 100 objective type questions with multiple choice answers in three Parts.

Each question carries one mark.

There shall be negative marking @0.25 mark per question for wrong/multiple answers.

Part-I contains 10 questions on Arithmetic which are available in both English and Odia version. In the case of discrepancy in meaning, the English version will prevail.

Part-II contains 05 questions on English.

Part-III contains 85 questions on Pharmacy which includes questions based on practical skill to assess the practical skill of the candidates.

All questions are compulsory.

ପ୍ରଶ୍ୱଗୁଡିକର ଉତ୍ତର କରିବାପୂର୍ବରୁ ନିମ୍ନ ପ୍ରଦର୍ଭ ନିର୍ଦ୍ଦେଶାବଳୀ ଯତ୍ନସହକାରେ ପଢନ୍ତୁ। ଏହି ପ୍ରସ୍ତିକାରେ ତିନିଗୋଟି ଭାଗରେ 100ଟି ବିବିଧ ଉତ୍ତର ଯୁକ୍ତ ସଂକ୍ଷିପ୍ତ ପୁଶ୍ମ ରହିଛି । ପ୍ରତ୍ୟେକ ପ୍ରଶ୍ମର ସଠିକ ଉତ୍ତର ପାଇଁ **ଏକ ମାର୍କ** ରହିଛି।

ଭୂଲ ଭଭର ଏବଂ ଏକାଧିକ ଭଭର ପାଇଁ ପ୍ରଶ୍ମ ପିଛ। 0.25 ମାର୍କ ଲେଖାଏଁ ବିୟୋଗ କରାଯିବ ।

<mark>ପ୍ରଥମ ଭାଗରେ</mark> ଗଣିତର 10ଟି ପ୍ରଶ୍ନ ରହିଛି ଯେଉଁଥିରେ ଇଂରାଜୀ ରୁ ଓଡିଆକୁ ଭାଷାନ୍ତର ଉପଲକ୍ତ । ଅର୍ଥବୋଧରେ କିଛି ତାରତମ୍ୟ ଥିଲେ ଇଂରାଜୀ ଭାଷା ବଳବତ୍ତର ରହିବ ।

ହିତୀୟ ଭାଗରେ ଇଂରାଜୀରେ 05ଟି ପ୍ରଶ୍ର ରହିଛି ।

ଡ଼ତୀୟ ଭାଗରେ Pharmacy ବିଷୟରେ (practical skill based ପ୍ରଶ୍ନ ସହିତ) 85ଟି ପ୍ରଶ୍ନ ରହିଛି।

ସମୟ ପ୍ରଶ୍ନ ବାଧ୍ୟତାମ୍ଳକ ।

INSTRUCTIONS FOR CANDIDATES

1. Before answering any question, check the Booklet and ensure that it contains 16 pages and no page is missing, mutilated or repeated. In case of any such defect, get it replaced immediately.

- The Invigilator shall supply you the blank Two Part carbonless OMR Answer Sheet separately. Enter your Roll Number, Question Booklet Serial Number and Question Booklet Series Code and darken the corresponding circle/oval provided on the Answer Sheet at the appropriate space carefully by using only black/blue ball point pen. You must write the name, date and centre of examination and put your full signature in the appropriate space provided therein before answering any question.
- 3. A machine will read the coded information furnished by you in the OMR Answer Sheet. If the information so furnished by you are incomplete or different from what you have given in the application form, you shall be awarded Zero mark.
- 4. Answer must be given by completely blackening one of the four circles/ovals representing the most appropriate answer given on the Answer Sheet corresponding to the relevant question by using only Black/Blue ball point pen. Answers not shown by properly darkening in black/blue ball point pen, no marks shall be awarded.

5. No Rough work should be done on the OMR Answer Sheet. Space for rough work has been provided in the Question Booklet itself.

- 6. Correcting fluid, eraser, blade, books, textual material, scripts, notes/loose paper, calculator, docupen, slide rules, log tables, electronic watches, smart watch, cell phone, pager, other electrical/electronic devices etc. are not allowed inside the examination hall. In case the candidate is found to be in possession of any of the above, he/she shall be expelled from the examination without any enquiry as to whether the same was/were used by the candidate or not.
- 7. These instructions must be complied with fully, failing which your Answer Sheet shall not be evaluated and Zero marks will be awarded.
- 8. After the examination is over, candidates must ensure to fold the OMR Answer Sheet at the perforation and separate the Original Copy and Candidate's Copy of the Two Part OMR Answer Sheet in the presence of the Invigilator and handover the Original Copy to the Invigilator. The Candidate's Copy of the OMR Answer sheet may be taken by the candidate. Failure to hand over the original copy of the OMR Answer Sheet to the Invigilator before leaving the examination hall/room shall make the candidate liable for penal
- 9. Failure to comply with any of the above instructions shall be considered as adopting unfair means and action as deemed proper shall be taken.

ପ୍ରାର୍ଥୀମାନଙ୍କ ପାଇଁ ନିର୍ଦ୍ଦେଶାବଳୀ

- ୧.କୌଣସି ପ୍ରଶ୍ନର ଉତ୍ତରଦେବା ପୂର୍ବରୁ ପୂଞ୍ଜିକାଟିକୁ ତନଖି ଦେଖନ୍ତୁ କି ଏଥିରେ ୧ ୬ ପୃଷା ଅଛି ଓ କୌଣସି ପୃଷା ନଷ୍ଟ, ପୁନରାବୃତ୍ତି କିମ୍ବା ଛାଡି ହୋଇନାହିଁ। କୌଣସି ତ୍ରଟିଥିଲେ ତାକୁ ତୂରନ୍ତ ବଦଳ କରାଇନିଅନ୍ତ।
- ୨. ନିରୀକ୍ଷକ ଆପଣଙ୍କୁ ପୃଥକଭାବେ ଓଏମ୍ଆର୍ ଭରରଫର୍ଦ୍ଦ (Two Part carbonless OMR Answer Sheet) ଦେବେ । ଉଉରଫର୍ଦ୍ଦର ଯଥା ସ୍ଥାନରେ ଆପଣଙ୍କ ରୋଲନମ୍ବର, ପ୍ରଶ୍ୱପୂଞ୍ଜିକା କ୍ରମିକନମ୍ବର ଏବଂ ପ୍ରଶ୍ୱପୂଞ୍ଜିକା ସିରିଜ କୋଡ୍ ଭଲେଖ କରନ୍ତୁ ଏବଂ ତା ପାଇଁ ଉଦ୍ଧିଷ୍ଟ ବୃତ୍ତ / ଅଣ୍ଡାକୃତିକୁ କେବଳ କଳା / ନୀଳ କାଳିର ବଲପଏଣ୍ଟ କଲମ ହାରା କାଳି କରନ୍ତୁ । ସେଠାରେ ପ୍ରଦତ୍ତ ନିର୍ଦ୍ଦିଷ୍ଟ ସ୍ଥାନରେ ପରୀକ୍ଷାର ନାମ, ତାରିଖ ଓ ପରୀକ୍ଷା କେନ୍ଦ୍ରର ନାମ ନିର୍ଣ୍ଣିତ ଭାବେ ଲେଖନ୍ତୁ ଏବଂ କୌଣସି ପଶ୍ଚର ଉତ୍ତରଦେବା ଆଗରୁ ଯଥାସ୍ଥାନରେ ଆପଣଙ୍କ ପ୍ରରା ଦଞ୍ଚଖତ କରନ୍ତ ।
- ୩. ଓଏମ୍ଆର୍ ଉତ୍ତରଫର୍ଦ୍ଦରେ ଆପଣ ଉଲ୍ଲେଖ କରିଥିବା ସାଙ୍କେତିକ ତଥ୍ୟକୁ ଗୋଟିଏ ଯନ୍ତ ପଢିବ । ତେଣୁ ଆପଣଙ୍କର ଏହି ପ୍ରଦର ତଥ୍ୟ ଯଦି ଦରଖାୟ ଫର୍ମରେ ଦିଆଯାଇଥିବା ତଥ୍ୟଠାରୁ ପୃଥକ କିମ୍ବା ଅସମ୍ପୂର୍ଷ ହୁଏ, ଆପଣଙ୍କୁ ଶୂନ୍ୟ ମାର୍କ ପ୍ରଦାନ କରାଯିବ ।
- ୪. ଭରରଫର୍ଦ୍ଦରେ ଥିବା ସମ୍ପୃକ୍ତ ପ୍ରଶ୍ନର ସଠିକ୍ ଭରର ପାଇଁ ଉଦ୍ଧିଷ୍ଟ ବୃର / ଅଣ୍ଡାକୃତିକ୍ କେବଳ କଳା / ନୀଳ କାଳିର ବଲପଏ& କଲମ ହାରା କାଳିକରି ଉତ୍ତର ଦିଅନ୍ତୁ । କଳା / ନୀଳବଲ ପଏଷ୍ଟ କଲମ ହାରା ସଠିକ୍ ଭାବେ କାଳି କରାଯାଇନଥବା ଉତ୍ତର ପାଇଁ କୌଣସି ମାର୍କ ଦିଆଯିବ ନାହିଁ ।
- ୫. ଓଏମ୍ଆର୍ ଭରରଫର୍ଦ୍ଦରେ ରଫ୍ କାମ କରନ୍ତୁ ନାହିଁ । ପ୍ରଶ୍ୱପୁଞ୍ଜିକାରେ ରଫ୍ କାମପାଇଁ ଖାଲିଜାଗା ଦିଆଯାଇଅଛି ।
- ୬. କୌଣସି ଧଉଳାଇବା ରଙ୍ଗ, ରବର, ବ୍ଲେଡ, ବହି, ଛାପା / ହାଡଲେଖାକାଗଜ, କାଲକୁଲେଟର, ଡକୁପେନ, ସ୍ଲାଇଡ ରୂଲ, ଲଗ ଟେବ୍ଲ, ଇଲେକଟୋନିକ ଘଣ୍ଟା, ସ୍ମାର୍ଟ ଘୟା,ମୋବାଇଲ ଫୋନ, ପେଇର, ଅନ୍ୟ ବୈଦ୍ୟୁତିକ/ଇଲେକଟ୍ରୋନିକ ଉପକରଣାଦିକୁ ଆପଣ ପରୀକ୍ଷା ହଲ / କୋଠରୀ ଭିତରକ୍ ନେଇ ପାରିବେ ନାହିଁ । ଯଦି ଉପରୋକ୍ତ କୌଣସି ଉପକରଣ ଆପଣଙ୍କ ପାଖରୁ ଉଦ୍ଧାର କରାଯାଏ, ବ୍ୟବହାର କରିଥାନ୍ତୁ ବା ନ କରିଥାନ୍ତୁ, ବିନା ତଦନ୍ତରେ ଆପଣଙ୍କୁ ତୁରନ୍ତ ପରୀକ୍ଷାରୁ ବାସନ୍ଦ କରାଯିବ ।
- ୭. ଏହି ନିର୍ଦ୍ଦେଶାବଳୀକୁ ସଂପୂର୍ଶଭାବେ ନିର୍ଣ୍ଣିତ ପାଳନକରନ୍ତୁ, ଅନ୍ୟଥା ଆପଣଙ୍କ ଭତ୍ତରପତ୍ରର ମୂଲ୍ୟାୟନ କରାଯିବ ନାହିଁ ଏବଂ ଶୃନ୍ୟ ମାର୍କ ପ୍ରଦାନ କରାଯିବ ।
- ୮. ପରୀକ୍ଷା ସରିବା ପରେ ପରୀକ୍ଷା ହଲ ଛାଡିବା ପୂର୍ବରୁ ଆପଣଙ୍କ Two Part carbonless OMR Answer Sheet ଉଉରଫର୍ଦ୍ଦର Original Copy ଓ Candidate's Copy ନିରୀକ୍ଷକଙ୍କ ଉପସ୍ଥିତିରେ ଚିହ୍ନ ଥିବା ସାନରେ ସଠିକ ଭାବେ ଭାଙ୍ଗ କରି ଚିରି ପୃଥକ କରନ୍ତୁ ଓ Original Copyଟିକୁ ନିରୀକ୍ଷକଙ୍କୁ ହୟାନ୍ତର କରନ୍ତୁ । ଅନ୍ୟଥା ପରୀକ୍ଷାର୍ଥୀ ଆଇନାନୁଯାୟୀ ଦଣ୍ଡନୀୟ ହେବେ । ଓଏମ୍ଆର୍ ଭରରଫର୍ଦ୍ଦର ପ୍ରାର୍ଥୀଙ୍କ ପାଇଁ ଉଦ୍ଦିଷ୍ଟଥିବା କପିଟିକୁ (Candidate's Copy) ପରୀକ୍ଷାର୍ଥୀ
- ୯. ଉପରୋକ୍ତ ନିର୍ଦ୍ଦେଶାବଳୀରୁ କୌଣସି ନିର୍ଦ୍ଦେଶର ଅନୁପାଳନରେ ଖିଲାପକଲେ ଏହାକ୍ର ଅସତ ଉପାୟ ଅବଲମ୍ବନ କରିଛନ୍ତି ବୋଲି ବିବେଚନା କରାଯିବ ଏବଂ ପରୀକ୍ଷାର୍ଥୀଙ୍କ ବିରୁଦ୍ଧରେ ଯଥୋଚିତ କାର୍ଯ୍ୟ।ନୁଷାନ ଗ୍ରହଣ କରାଯିବ ।

DO NOT OPEN THE SEAL OF THE QUESTION BOOKLET UNTIL YOU ARE ASKED TO DO SO

Part-I ARITHMETIC: 10 Marks

Instructions: Each question under this section carries **One** mark. Please read the instructions carefully and answer the questions by selecting the most appropriate answer out of the multiple answers given below each as A, B, C and D.

There shall be negative marking @ 0.25 mark per question for wrong/multiple answers.

	in the ratio of 15 : 11. If t 15 : 11 ଅଟେ । ଯଦି ସେମାନଙ୍କ		
(A) 75, 55	(B) 15, 11	(C) 105, 77	(D) 195, 143
	adth of a square are incre exceeds the area of the s	이 그 선생님, 그리 사람들에 독일했다. 무슨데 사용하다 그렇게 하고 계약하는데, 뭐 하나 나를 하는데 다른	espectively. The area of the
	ଏବଂ ପ୍ରୟ ଯଥାକୁମେ ଶତକଡା 4 ମହାର ଷେତ୍ରଫଳ, ବର୍ଗଷେତ୍ରର ଷେ		ଆଗଲା । ଏହା ପଳରେ ସେଉଁ
(A) 42%	(B) 82%	(C) 62%	(D) None of these
	ee numbers is 20. If two r ହାରି 20 ଅଟେ ।ଯଦି ଦୁଇଟି ସଂଖ୍ୟ (B) 19		ne third number is? ତେବେ ତୃତୀୟ ସଂଖ୍ୟାଟି କେତେ ? (D) 18
end of 5 years?	ହାରରେ, 2500 ଟଙ୍କାର 5 ବର୍ଷର		earn how much interest by the (D) 3250
ଗୋଟିଏ ଘନର ଷେତ୍ରଫଳ	ିa cube is 1734 sq cms. I 1734 ବର୍ଗ ସେମି ଅଟେ । ଏହାଦ (B) 4913 cu. cm	ର ଆୟତନ କେତେ ହେବ ?	(D) 4096 cu. cm
	e of a circle is 352 meter ଧୁ 352 ମିଟର ହୁଏ, ତେବେ ଏହା (B) 8956		
7· Which of the follow ନିମ୍ନଲିଖିତ ମଧ୍ୟରୁ କେଉଁତି	wing is equal to x^3 ? x^3 ସଙ୍ଗେ ସମାନ ଅଟେ ?		
(A) $x^6 - x^3$	(B) x^6/x^3	$(C) x^6.x^3$	(D) $(x^6)^3$

	104417 / A / Page 4 of
8. The length of a train is 140 meters platform of 220 meters long?	and its speed is 72 km/hr. How long will it take to cross a
	ାର ବେଗ ଘଣ୍ଟାକୁ 72 କିମି । ତେବେ 220 ମିଟର ଲମ୍ବ ପ୍ଲାଟ୍ଫର୍ମ ଅତିକ୍ରମ କରିବାକୁ
ଏହା କେତେ ସମୟ ନେବ ?	
(A) 18 seconds (B) 1 seconds	ds (C) 7 seconds (D) 3 seconds
	assed in English and 85% candidates passed in Mathematics. se subjects, then what percentage of candidates failed in both
ଗୋଟିଏ ପରୀକ୍ଷାରେ ଶତକଡା 80 ପରୀକ୍ଷାଥୀ ଇଂଜ	ରାଜୀରେ ପାସ୍ କଲେ ଏବଂ ଶତକଡା 85 ପରୀକ୍ଷାର୍ଥୀ ଗଣିତରେ ପାସ୍ କଲେ । ଯଦି 🥏
ଶତକଡା 73 ପରୀଷାଥୀ ଦୁଇଟିଯାକ ବିଷୟରେ ପା ହେଲେ ?	ସ୍ କଲେ, ତେବେ ଶତକଡା କେତେ ପରୀକ୍ଷାଥୀ ଦୁଇଟିଯାକ ବିଷୟରେ ଫେଲ୍
(A) 8 (B) 27	(C) 15 (D) 35
selling price will be?	op keeper gains 14%. If the profit is reduced to 8%, then the ରା ଦୋକାନୀର ଶତକଡା 14 ଲାଭ ହେଲା । ଯଦି ଲାଭ ଶତକଡା 8 କୁ କମାଇ
ଦିଆଯାଏ, ସାଇକେଲ୍ର ବିକ୍ରିମୂଲ୍ୟ କେତେ ହେବ ?	ne average of three numbers is 20. If two numbers and to an electric street and the second se
(A) Rs 2600 (B) Rs 2800	(C) Rs 2700 (D) Rs 3000
	Part-II
	ENGLISH: 05 Marks
carefully and answer the questions answers given below each as A, B,	this section carries One mark. Please read the instructions by selecting the most appropriate answer out of the multiple C and D. 0.0.25 mark per question for wrong/multiple answers.
11. Which of the following sentences is g	rammatically correct?
(A) A herd of elephants are in the forms (C) A herd of elephant is in the forest	
12. Who broke the window? (change the sentence into passive voice)	pe)
(A) By whom was the window broken? (C) Whom was the window broken?	en? (B) By whom was the window broken. (D) By whom the window was broken?

Fill in the blank with	ntns in a year. h correct spelling of the		
(A) calender	(B) calendar	(C) celender	(D) calander
14. Rama arrived <u>late</u> at (choose the correct p	the railway station. art of speech of the und	lerlined word)	
(A) noun	(B) pronoun	(C) adjective	(D) adverb
15. A drowning man cate (Fill in the blank with	ches a straw		
(A) to	(B) in	(C) at	(D) into
	sect to first programmed and		
	Phar	Part-III macy: 85 Marks	
carefully and answ answers given belo There shall be neg	ver the questions by sellow each as A, B, C and a sative marking @ 0.25 in	ecting the most appropri	representation of the entire terms.
(A) 20 A	(B) 22B	(C) 21 B	(D) 22 A
17. The chemical name of	of vitamin C is:		
(A) Ascorbic acid (C) Maleic acid		(B) Benzoic acid (D) None of the ab	pove
18. One fluid ounce is eq	qual to:		
(A) 30 ml	(B) 20 ml	(C) 25 ml	(D) 50 ml
19. The mechanical strer	ngth of a tablet is check	ed by:	
(A) Hardness tester(C) Disintegrator		(B) Friability tester (D) None of the abo	
		t of substances that shouler is given in which of the	d be sold by retail only on e following Schedule?
(A) Schedule 'H'	(B) Schedule 'V'	(C) Schedule 'X'	(D) Schedule 'Q'

^{21.} A patient asks for a prepappropriate?	paration as a vaginal crea	m for candidiasis. Which	product is the most
(A) Canesten	(B) Ortho-Gynest	(C) Eurax	(D) Bactroban
22. Cod liver oil is nutritive	due to presence of:		
(A) Vitamin A	(B) Vitamin A and D	(C) Vitamin A and E	(D) Vitamin E
23. Immunoglobulin found	n allergic condition is		TELEVIC (A.)
(A) Ig M	(B) Ig E	(C) Ig D	(D) Ig A
24. Posology deals with	n (O		
(A) Quality of drugs(C) Dose of drugs		(B) Dispensing of drugs(D) Stability of drugs	
25. The capacity of bladder	is about		
(A) 100 ml	(B) 500 ml	(C) 200 ml	(D) 1 liter
26. Water as vehicle can tra	nsmit all except		
(A) Polio	(B) Diarrhoea	(C) Tetanus	(D) Round worm
²⁷ . Pivmecillinam is prescri administered to a patient		divided doses. The indiv	idual dose (mg) to be
(A) 8	(B) 80	(C) 240	(D) 800
28. DNA is mainly present i	n:		
(A) Ribosome(C) Plasma membrane		(B) Nucleus (D) None of these	
^{29.} In lower urinary tract in	fection which oral antibio	otic is not used?	
(A) Amoxilillin	(B) Cefalexin	(C) Nitofurantoin	(D) Tetracycline
30. Caustic soda is synonym	of:		
(A) NaOH	(B) HCI	(C) CaCO ₇	(D) I ₂

Betamethasone and	a prednisolone are used in:		
(A) Infection	(B) Inflammation	(C) Ulcer	(D) None of these
	ectors appointed under the Drawing Section of the Act?	ugs and Cosmetics Act,1	940 are mentioned under
(A) 20	(B) 21	(C) 22	(D) 23
33. Naphazoline is use	ed in:		
(A) Asthma	(B) Hypotension	(C) Nasal congestion	(D) Hay fever
³⁴ . Pyridoxine is admi	inistered with isoniazid to min	nimize the	
(A) Hepatotoxicit	ty (B) Allergic reaction	(C) Neurotoxicity	(D) Nephrotoxicity
35.1% w/w dextrose r	means:		
(A) 1 gram dextro (C) 1 mole in 100	se in 100 grams of product ml of product	(B) 1 gram dextrose in(D) None of the above	100 ml of product
36. Which of the follo	wing is a synthetic sweetener	?	
(A) Glucose	(B) Sucrose	(C) Sorbitol	(D) Aspartame
³⁷ . In diabetes mellitu	s, the level of:		
(A) Sucrose incre (C) Calcium incre		(B) Glucose increases(D) None of the above	
38. A patient asks for	ibuprofen gel. The pharmacis	t may dispense:	
(A) Oruvail	(B) Voltarol	(C) Dubam	(D) Ibutop
39. Enteric coated tab	lets are meant for disintegration	on in:	
(A) Stomach	(B) Mouth	(C) Intestine	(D) None of these
40. The most importan	nt component of human gamm	na globulin is	
(A) Immunoglob		(B) Immunoglobulin N (D) Immunoglobulin E	

41. Drug which does not	belong to fruit class:		
(A) Ergot	(B) Fennel	(C) Coriander	(D) Dill
42. What is the source of	carbon atoms in choleste	erol?	
(A) Acetyl -CoA	(B) Lanosterol	(C) Squalene	(D) Mevalonic acid
43. Which one of these is	a hypotensive drug?		
(A) Senega	(B) Rhubarb	(C) Rauwolfia	(D) Vasaka leaves
44. Fluid part of blood de	void of Corpuscles is cal	led-	
(A) Serum	(B) Plasma	(C) Lymph	(D) Tissue fluid
45. One of these β-blocke	ers, used in glaucoma, is:	The state of the s	
(A) Propranolol	(B) Atenolol	(C) Timolol	(D) Metoprolol
46. All are essential amino	o acid except:		
(A) Leucine	(B) Lysine	(C) Phenylalanine	(D) Tyrosine
47. Ibuprofen is a:			
(A) 2-(4-Propylphey (C) 2-(4-Ethylphenyl		(B) 2-(4-Isobutylph (D) 2-(4-Hexylpher	nenyl) propionic acid
^{48.} Multiple form of same	e enzyme are called		
(A) Coenzymes	(B) Aponezymes	(C) Isoenzymes	(D) Holoenzymes
49. Which of the following	g is rational for a patient	taking cardiac glycosic	le?
	v-potassium, high-fat calcium, high-potassium		w-potassium, low-fat gh-potassium, low-fat
50. During starvation, the	level of in the	blood decreases.	
(A) Ammonia (C) Chloride and gluo	cose	(B) Creatine (D) Uric acid	

enteric coated tab	ribed prednisolone 10 mg blets. How many tablets of	daily for 16 days. Prednisc Deltacortril have to be dis	olone is available as 5 mg pensed?
(A) 10	(B) 16	(C) 32	(D) 100
52. An isotonic soluti	ions has the same		
(A) pH as blood (C) Specific grav		(B) Fluid pressure a (D) Osmotic pressure	
53. Separation of the	tablet into two or more dis	tinct layers is	
(A) Picking	(B) Capping	(C) Lamination	(D) Broken
54. The normal huma	n blood pH is		
(A) 5.5-6.5	(B) 8.8-9.6	(C) 7.35-7.45	(D) 2.35-3.78
55. Iodine tincture co	nsists		
(B) 5% (w / v) or (C) 5% (w / v) or	f iodine and 2.4% (w / v) of iodine and 2.4% (w / v) of iodine and 10% (w / v) of iodine and 15% (w / v) of iodine and 10% (w / v) of iodine and 10	f sodium iodide f potassium iodide	
56. Streptomycin is et	ffective against-		
(A) Gram +ve ba (C) Gram +ve an	cteria only d Gram –ve bacteria	(B) Gram –ve bacter (D) Effective agains	
57. Cure for blindness	s is an example of the follo	wing advertisement:	
(A) Prohibited	(B) Exempted	(C) Bonafide	(D) Permitted
58. The body fluids fo	ound within cells is called_		
(A) Plasma.	(B) Extracellular fl	uid (C) Interstital fluid	(D) Intracellular fluid
59. Infantile myoclon	us is best treated with-		
(A) Clonazepam	(B) Diazepam	(C) Phenytoin	(D) Phenobarbitone
60. Coca, opium and l	nemp come under:		
(A) Dangerous D (C) Drugs and Co		(B) Poison Act(D) None of these	

61. The volume of distributi	on (Vd) relates:		
(B) An administrated d(C) An uncharged drug	reaching the systemic c		plasma
62. Hepatitis is characterized	l by:		
(A) Inflammation of lu (C) Inflammation of liv		(B) Skin rashes (D) Edema	
63. Surgical dressings are st	erilized by:		
(A) Dry heat sterilization(C) Radiation sterilization		(B) Gaseous sterilizati (D) Moist heat sterilizati	
64. The sweetening agent co	ommonly used in chewal	ble tablet is:	
(A) Sucrose	(B) Honey	(C) Mannitol	(D) Saccharin
65. The label 'Shake well be	efore use' is indicated or	n the mixture containing	(A) 299 (w. v.) of Judine s (b) 5% (w. v.) of fine :
(A) Soluble medicamen(C) Diffusible medican		(B) Potent medicamer(D) Miscible liquid	at mborto (v.) w 6001 (C)
66. Indian Belladonna conta	ins alkaloid:		Scop consults is effective as
(A) Atropine	(B) Strychnine	(C) Cephaleine	(D) Narcotine
67. Lactose is made up of: (A) One glucose molecu (B) Two glucose molecu (C) One glucose and one (D) Two galactose mole	ıle e fructose molecule		(A) Problems found for the control of the control o
68. Which one of these is un	nsaturated fatty acid?		
(A) Palmitic acid	(B) Stearic acid	(C) Oleic acid	(D) Lauric acid
69. The schedule in Drugs a trial, import and manufa		leals with requirement ar	nd guidelines of clinical
(A) Schedule O	(B) Schedule M	(C) Schedule F	(D) Schedule Y

70. A gas used for fumigat	ion is:		
(A) Ethylene	(B) Nitrogen oxide	(C) Sulphur dioxide	(D) Oxygen
71. For radiography of a g following region?	rowth on urinary bladder,	camera must be position	ned on which of the
(A) Umbilical	(B) Hypogastric	(C) Right inguinal	(D) Left inguinal
72. Chlorpromazine is use	ful in the treatment of:		
(A) Parkinsonism(C) Schizophrenia		(B) Mental depression(D) None of these	
73. Auristille is the latin te	rm for		
(A) Eye drop	(B) Ear Drop	(C) Nasal drop	(D) Spray solution
74. Drug of choice in acute	lymphatic leukemia		
(A) Mercaptopurine(C) Methotrexate		(B) Cyclophosphamide (D) Vincristine+predni	
75. License required to star	t a new retail drug store is	s issued by:	
(A) Drug controller(C) Govt. analyst		(B) Drug inspector(D) Registrar of state p	harmacy council
76. The commonest form of	f malaria in India is cause	ed by	
(A) Plasmodium vivas (C) Plasmodium falcip		(B) Plasmodium ovale(D) Plasmodium malari	a
77. Salbutamol is:			
(A) Non-catecholamin (C) Non-catecholamin		(B) Catecholamine and (D) Catecholamine and	
78. Which one of these con	tains benzhydryl group?		
(A) Histamine		(B) Diphen hydramine	

vs. Which of the following	is used as faxative?		
(A) Sodium bicarbona (C) Sodium potassium		(B) Sodium trisilicate (D) Sodium hydroxide	
80. Sulphur is used in the tre	eatment of:	D 300 parties of 300 per sec. 17%	
(A) Diabetes	(B) Inflammation	(C) Tuberculosis	(D) Scabies
81. Inorganic saline expecto	orant is:		
(A) Ammonium chlori (C) Sulphuric acid	de massigab la malé (E)	(B) Sodium Bicarbona (D) None of the above	te msingzashefi (A)
82. The injectable contrace	otive is		
(A) Ehtisterone(C) Depomedroxy prog	gesterone acetate	(B) Progesterone (D) None of these	
83. Spinal cord ends at verte	ebral level of:		
(A) $T_{11}T_{12}$	(B) $T_{12}L_1$	(C) L_1L_2	(D) L_3L_4
84. A mother requests a pre following products is th		ld son for a chesty cough	a. Which of the
(A) Benylin with code(C) Actifed Chesty Co		(B) Alupent syrup(D) Vicks Medinite syr	levian end (O)
85. Pentoses and hexoses ca	an be distinguished by on	e of the following test	
(A) Bial's test	(B) Molish test	(C) Seliwanoff's test	(D) Benzidine test
86. Nicotinic acid lowers de	own the:		
(A) Cholesterol level	(B) Triglyceride level	(C) Blood pressure	(D) None of these
87. If 3 capsules of 150 mg is the % of Clindamycir		ed to 150 cc of 1% Cleoc	
(A) 1.5%	(B) 1.3%	(C) 1.1%	(D) 0.9%
88. Which of the following	is most effective in inhib	iting gastric acid secretion	on?
(A) Ranitidine	(B) Famotidine	(C) Omeprazole	(D) Pirenzepine

89. Ibuprofen tablet belongs	s to Schedule:		
(A) X	(B) G	(C) H	(D) B
90. The only artery which co	ontains deoxygenated bl	ood is:	
(A) Pulmonary artery	(B) Inferior vena cava	(C) Coronary artery	(D) None of these
91. Route of administration	for heparin and warfarin	:	
(A) I.V., Oral	(B) S.C., I.M.	(C) Oral, I.V.	(D) None of these
92. Hetrazan drug is used in			
(A) Malaria	(B) Filiariasis	(C) Cholera	(D) Typhoid
93. Normal amount of Plate	lets in healthy human is		
(A) 2,50,000-4,00,000/ (C) 4 to 6 million/Cmm		(B) 4000-11000/Cmm (D) 500/Cmm	
94. The average volume of b	blood in human body is:		
(A) 5.5 liters	(B) 4 liters	(C) 10 liters	(D) 6 liters
95. Poisonous drugs are cove	ered in:		
(A) Schedule E	(B) Schedule F	(C) Schedule Y	(D) Schedule X
96. OTC drugs are:			
(A) Ethical drug(C) Ethical and prescrip	tion drugs	(B) Prescription drug(D) Non-prescription dr	ugs
97 Disposable plastic syring	ges are sterilized by:		
(A) Autoclaving(C) Gaseous sterilization	n	(B) Boiling with water (D) None of the above	
98. Biotin structure is formed	d by fusion of:		
(A) Imidazole and thiop (C) Imidazole and indol		(B) Imidazole and furan	•

99. An ointment contains 1% w/w calamine. How much calamine powder would be appropriate to add to 200g of the ointment to produce a 4% w/w calamine ointment

(A) 4.25 g

(B) 5.5 g

(C) 6.25 g

(D) 6.5 g

100. The normal level of calcium in blood plasma is:

(A) 9-11 mg/100ml

(B) 20-40 mg/100 ml

(C) 30-40 mg/100 ml

(D) 100 mg/100 ml

KEPT INTENTIONALLY BLANK USE FOR ROUGH WORK.

KEPT INTENTIONALLY BLANK USE FOR ROUGH WORK

SPACE FOR ROUGH WORK

